


Fig. 1


10/525145

2/9





10/525145

3/9




4/9





6/9

Fig. 6 C57BL/6 (H-2b) → BALB/c(H-2d)




The immunization of BALB/c mice with the SEREX-identified autoantigen DnaJ-like2 leads to tumor death of some of the mice as a result of the protraction of rejection against melanoma B16 originated from C57BL/6.

10/525145

7/9

Fig. 7 C57BL/6 (H-2b) → BALB/c(H-2d)




Another immunization of BALB/c mice with SEREX-identified autoantigen leads to tumor death of some of the mice as a result of the protraction of rejection against melanoma B16 originated from C57BL/6 as in the case of DnaJ-like2.

10/525145

8/9

Fig. 8 C57BL/6 (H-2b) → BALB/c(H-2d)



The protraction of rejection against melanoma B16 originated from C57BL/6 has been removed by the administration of anti-CD25 antibody on the basis of the immunization of a BALB/c mouse with DnaJ-like2.




10/525145

9/9

Fig. 9

C57BL/6 (H-2b) → BALB/c(H-2d)



The protraction of rejection against melanoma B16 originated from C57BL/6 has been removed by the administration of anti-GITR antibody on the basis of the immunization of a BALB/c mouse with DnaJ-like2.